WEED RESEARCH

Journal of the European Weed Research Society

EDITORIAL BOARD

Chairman

J. D. FRYER

Editors

G. BOOCOCK (GB)
G. G. BRIGGS (GB)
R. J. CHANCELLOR (GB)
F. CHARMET (F)
A. D. COURTNEY (GB)
D. S. H. DRENNAN (GB)
J. G. ELLIOTT (GB)
A. GAST (CH)
H. R. GERBER (CH)
T. A. HILL (GB)
K. HURLE (D)
G. W. IVENS (NZ)
R. LONGCHAMP (F)
K. LUND-HØIE (N)
J. A. MARCHANT (GB)
P. D. PUTWAIN (GB)
J. C. STREIBIG (DK)
J. L. P. VAN OORSHCHOT (NL)

Secretary

J. M. THURSTON

Assistant Secretary

C. MORRIS

European Weed Research Society
General Secretary
Mlle E. FABRE
8 Avenue de President Wilson,
75116 - Paris, France

VOLUME 22

Pages 1–374

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH BOSTON MELBOURNE

1982

WEED RESEARCH

Vol. 22 No. 1 **February 1982**

F. D. PANETTA. *In situ* potential for rehabilitation of sites dominated by blackberry (*Rubus polyanthemos* Lindeb.) 1
K. I. N. JENSEN and E. R. KIMBALL. The comparative behaviour of simazine and terbacil in soils 7
H. A. ROBERTS and J. E. NEILSON. Seed banks of soils under vegetable cropping in England 13
S. T. O. LAGOKE, A. H. CHOUDHARY and D. J. CHANDRA-SINGH. Chemical weed control in rainfed cowpea (*Vigna unguiculata* (L.) Walp) in the Guinea savanna zone of Nigeria 17
L. R. K. SCOUREY, I. YOUNG and J. B. PAGE. Studies on the chemical control of blackgrass (*Alopecurus myosuroides* Huds.) in winter wheat in the West Midlands 23
K. GÖRÖG, GY. MUSCHINEK, L. A. MUSTÁRDY and Á. FALUDI-DÁNIEL. Comparative studies of safeners for the prevention of EPTC injury in maize 27
E. S. LEGUIZAMÓN and H. A. ROBERTS. Seed production by an arable weed community 35
S. TRIVEDI and R. S. TRIPATHI. The effects of soil texture and moisture on reproductive strategies of *Spergula arvensis* L. and *Plantago major* L. 41
B. A. HEGDE and T. M. PATIL. Effect of salt stress on the structure and carbon flow mechanism in a noxious weed *Parthenium hysterophorus* L. 51
F. W. KIRKHAM and R. J. HAGGAR. Selective herbicides for establishing weed-free grass: The effect of mixtures and sequences of herbicides, including ethofumesate and methabenzthiazuron 57

Vol. 22 No. 2 **April 1982**

A. S. YADAV and R. S. TRIPATHI. A study on seed population dynamics of three weedy species of *Eupatorium* 69
P. S. RAMAKRISHNAN and B. K. MISHRA. Population dynamics of *Eupatorium adenophorum* Spreng. during secondary succession after slash and burn agriculture (jhum) in north eastern India 77
M. M. DECLEIRE, Y. P. HONOREZ et G. V. VAN ROEY. Activité des peroxydase, catalase et glycolate oxydase après traitement avec divers herbicides 85
M. MAFTOUN, A. BASSIRI, A. M. SAMENI and J. YASREBI. Growth and chemical composition of soybeans as affected by trifluralin and soil salinity 89
W. V. ZITZEWITZ. Die Verungkrautung neuangelegter mediterraner Weidetypen im Gebiet Mogod/Tunesien 95
C. MALAN, J. H. VISSER and N. GROBBELAAR. Control of problem weeds of maize on the Transvaal Highveld (South Africa). II. *Datura stramonium* L. 101
C. MALAN, J. H. VISSER and N. GROBBELAAR. Control of problem weeds of maize on the Transvaal Highveld (South Africa). III. *Crotalaria sphaerocarpa* Perr. ex. DC. 105
A. G. T. BABIKER and A. M. HAMDOUN. Factors affecting the activity of GR7 in stimulating germination of *Striga hermonthica* (Del.) Benth. 111
A. G. T. BABIKER. Chemical weed control in irrigated direct-seeded rice in the Sudan Gezira 117

Vol. 22 No. 3 **June 1982**

J. D. Doll and W. Piedrahita. Effect of glyphosate on the sprouting of *Cyperus rotundus* L. tubers 123
F. Pollard, S. R. Moss, G. W. Cussans and R. J. Froud-Williams. The influence of tillage on the weed flora in a succession of winter wheat crops on a clay loam soil and a silt loam soil 129
A. E. Smith. Soil persistence studies with [^{14}C]MCPA in combination with other herbicides and pesticides 137
B. J. Wilson and N. C. B. Peters. Some studies of competition between *Avena fatua* L. and spring barley. I. The influence of *A. fatua* on yield of barley 143
R. D. Williams. Growth and reproduction of *Cyperus esculentus* L. and *Cyperus rotundus* L. 149
T. L. Pons. Factors affecting weed seed germination and seedling growth in lowland rice in Indonesia 155
R. J. Froud-Williams and R. J. Chancellor. A survey of grass weeds in cereals in central southern England 163
Report of the Sixth Meeting of the Council of the European Weed Research Society 173

Vol. 22 No. 4 **August 1982**

R. J. Field and A. R. Whitford. Effect of simulated mowing on the translocation of mefluidide in perennial ryegrass (*Lolium perenne* L.) 177
D. Aspe et J. Bastide. Comportement de substances analogues du propyzamide dans la plante en fonction de leur structure chimique 183
J. H. Combellack. Loss of herbicides from ground sprayers 193
N. C. B. Peters. The dormancy of wild oat seed (*Avena fatua* L.) from plants grown under various temperature and soil moisture conditions 205
A. Nyffeler, H.-R. Gerber, K. Hurle, W. Pestemer and R. R. Schmidt. Collaborative studies of dose-response curves obtained with different bioassay methods for soil-applied herbicides 213
R. C. Robinson and J. Dunham. The uptake of soil-applied chlorotriazines by seedlings and its prediction 223
H. Darmency. Etude du polymorphisme des prolamines chez une population d'*Avena fatua* L. 237

Vol. 22 No. 5 **October 1982**

M. Tena, M. Magallanes and R. Garrido. Soil persistence of selected sugar-beet herbicides and their combinations with lenacil 245
P. A. O'Sullivan and V. C. Kossatz. Influence of picloram on *Cirsium arvense* (L.) Scop. control with glyphosate 251
E. Lefebvre-Drouet et R. Calvet. Utilisation des chorelles pour le dosage biologique de l'atrazine dans le sol 257
V. Vecchio, J. Gasquez et J. P. Compoint. Variabilité morphologique et enzymatique chez une population mixte d'*Avena fatua* L. et *A. sterilis* L. 263
I. J. Graham-Bryce, P. H. Nicholls, R. J. Baker, R. J. Hance, S. J. Embling and D. Mills. Movement of fluometuron and $^{36}Cl^-$ in soil under field conditions: computer simulations 271
P. B. Topham and H. M. Lawson. Measurement of weed species diversity in crop/weed competition studies 285
F. W. Kirkham, R. J. Haggar and T. A. Watt. The control of *Holcus ignatus* in perennial ryegrass swards by asulam 295
A useful publication by the EWRS Education Committee 303

Vol. 22 No. 6 December 1982

E. EGBERT. The role of waxes in the uptake of metolachor into sorghum in relation to the protectant CGA 43089 305
E. O. ETEJERE. Effects of EPTC, flurodifen and monuron on transpiration and photosynthetic oxygen output in *Eupatorium odoratum* plants 313
E. SOLBAKKEN, H. HOLE, O. LODE and T. A. PEDERSEN. Trifluralin persistence under two different soil and climatic conditions 319
K. E. PALLETT. The contact activity of difenzoquat in two United Kingdom spring wheat cultivars 329
KRITON K. HATZIOS and DONALD PENNER. Metabolism of ^{14}C-buthidazole in corn (*Zea mays* L.) and redroot-pigweed (*Amaranthus retroflexus* L.) 337
J. T. TRUMBLE and L. T. KOK. Integrated pest management techniques in thistle suppression in pastures of North America 345
RÉGINE CHADOEUF-HANNEL et G. BARRALIS. Comportement germinatif des graines d'*Amaranthus retroflexus* L. recoltées dans les conditions naturelles 361
Author index to Volume 22 371

AUTHOR INDEX

ASPE, D. et BASTIDE, J. Comportement de substances analogues du propyzamide dans la plante en fonction de leur structure chimique, 183–192.

BABIKER, A. G. T. Chemical weed control in irrigated direct-seeded rice in the Sudad Gezira, 117–121.

BABIKER, A. G. T. and HAMDOUN, A. M. Factors affecting the activity of GR7 in stimulating germination of *Striga hermonthica* (Del.) Benth., 111–115.

BAKER, R. J. *See* GRAHAM-BRYCE, I. J.

BARRALIS, G. *See* CHADOEUF-HANNEL, RÉGINE

BASSIRI, A. *See* MAFTOUN, M.

BASTIDE, J. *See* ASPE, D.

CALVET, R. *See* LEFEBVRE-DROUET, E.

CHADOEUF-HANNEL, RÉGINE et BARRALIS, G. Comportement germinatif des graines d'*Amaranthus retroflexus* L. recoltées dans les conditions naturelles, 361–369

CHANCELLOR, R. J. *See* FROUD-WILLIAMS, R. J.

CHANDRA-SINGH, D. J. *See* LAGOKE, S. T. O.

CHOUDHARY, A. H. *See* LAGOKE, S. T. O.

COMBELLACK, J. H. Loss of herbicides from ground sprayers, 193–204.

COMPOINT, J. P. *See* VECCHIO, V.

CUSSANS, G. W. *See* POLLARD, F.

DARMENCY, H. Étude du polymorphisme des prolamines chez une population d'*Avena farua* L., 237–243.

DECLEIRE, M. M., HONOREZ, Y. P. et ROEY, G. V. van. Activité des peroxydase, catalase et glycolate oxydase après traitement avec divers herbicides, 85–88.

DOLL, J. D. and PIEDRAHITA, W. Effect of glyphosate on the sprouting of *Cyperus rotundus* L. tubers, 123–128.

DUNHAM, J. *See* ROBINSON, R. C.

EGBERT, E. The role of waxes in the uptake of metachlor into sorghum in relation to the protectant CGA 43089, 305–311.

EMBLING, S. J. *See* GRAHAM-BRYCE, I. J.

ETEJERE, E. O. Effects of EPTC, flurodifen and monuron on transpiration and photosynthetic oxygen output in *Eupatorium odoratum* plants, 313–318.

FALUDI-DÁNIEL, Á. *See* GÖRÖG, K.

FIELD, R. J. and WHITFORD, A. R. Effect of simulated mowing on the translocation of mefluidide in perennial ryegrass (*Lolium perenne* L.), 177–181.

FROUD-WILLIAMS, R. J. and CHANCELLOR, R. J. A survey of grass weeds in cereals in central southern England, 163–171.

FROUD-WILLIAMS, R. J. See POLLARD, F.

GARRIDO, R. *See* TENA, M.

GASQUEZ, J. *See* VECCHIO, V.

GERBER, H.-R. *See* NYFFLER, A.

GÖRÖG, K., MUSCHINEK, GY., MUSTÁRDY, L. A. and FALUDI-DÁNIEL, Á. Comparative studies of safeners for the prevention of EPTC injury in maize, 27–33.

GRAHAM-BRYCE, I. J., NICHOLLS, P. H., BAKER, R. J., HANCE, R. J., EMBLING, S. J. and MILLS, D. Movement of fluometuron and $^{38}Cl^-$ in soil under field conditions: computer simulations, 271–283.

GROBBELAAR, N. *See* MALAN, C.

HAGGAR, R. J. *See* KIRKHAM, F. W.

HAMDOUN, A. M. *See* BABIKER, A. G. T.

HANCE, R. J. *See* GRAHAM-BRYCE, I. J.

HATZIOS, KRITON K. and PENNER, DONALD. Metabolism of ^{14}C-buthidazole in corn (*Zea mays* L.) and redroot pigweed (*Amaranthus retroflexus* L.), 337–343.

HEDGE, B. A. and PATIL, T. M. Effect of salt stress on the structure and carbon flow mechanism in a noxious weed *Parthenium hysterophorus* L., 51–56.

HOLE, H. *See* SOLBAKKEN, E.
HONOREZ, Y. P. *See* DECLEIRE, M. M.
HURLE, K. *See* NYFFLER, A.
JENSEN, K. I. N. and KIMBALL, E. R. The comparative behaviour of simazine and terbacil in soils, 7–12.
KIMBALL, E. R. *See* JENSEN, K. I. N.
KIRKHAM, F. W. and HAGGAR, R. J. Selective herbicides for establishing weed-free grass: The effect of mixtures and sequences of herbicides, including ethofumesate and methabenzthiazuron, 57–68.
KIRKHAM, F. W., HAGGAR, R. J. and WATT, T. A. The control of *Holcus lanatus* in perennial ryegrass swards by asulam, 295–302.
KOK, L. T. *See* TRUMBLE, J. T.
KOSSATZ, V. C. *See* O'SULLIVAN, P. A.
LAGOKE, S. T. O., CHOUDHARY, A. H. and CHANDRA-SINGH, D. J. Chemical weed control in rainfed cowpea (*Vigna unguiculata* (L.) Walp) in the Guinea savanna zone of Nigeria, 17–22.
LAWSON, H. M. *See* TOPHAM, P. B.
LEFEBVRE-DROUET, E. et CALVET, R. Utilisation des chorelles pour le dosage biologique de l'atrazine dans le sol, 257–262.
LEGUIZAMÓN, E. S. and ROBERTS, H. A. Seed production by an arable weed community, 35–39.
LODE, O. *See* SOLBAKKEN, E.
MAFTOUN, M., BASSIRI, A., SAMENI, A. M. and YASREBI, J. Growth and chemical composition of soybeans as affected by trifluralin and soil salinity, 89–94.
MAGALLANES, M. *See* TENA, M.
MALAN, C., VISSER, J. H. and GROBBELAAR, N. Control of problem weeds of maize on the Transvaal Highveld (South Africa). II. *Datura stramonium* L., 101–104.
MALAN, C., VISSER, J. H. and GROBBELAAR, N. Control of problem weeds of maize on the Transvaal Highveld (South Africa). III. *Crotalaria sphaerocarpa* Perr. ex. DC., 105–109.
MILLS, D. *See* GRAHAM-BRYCE, I. J.
MISHRA, B. K. *See* RAMAKRISHNAN, P. S.
MOSS, S. R. *See* POLLARD, F.
MUSCHINEK, GY. *See* GÖRÖG, K.
MUSTÁRDY, L. A. *See* GÖRÖG, K.
NICHOLLS, P. H. *See* GRAHAM-BRYCE, I. J.
NEILSON, J. E. *See* ROBERTS, H. A.
NYFFELER, A., GERBER, H.-R., HURLE, K., PESTEMER, W. and SCHMIDT, R. R. Collaborative studies of dose-response curves obtained with different bioassay methods for soil-applied herbicides, 213–222.
O'SULLIVAN, P. A. and KOSSATZ, V. C. Influence of picloram on *Cirsium arvense* (L.) Scop. control with glyphosate, 251–256.
PAGE, J. B. *See* SCOUREY, L. R. K.
PALLETT, K. E. The contact activity of difenzoquat in two United Kingdom spring wheat cultivars, 329–335.
PANETTA, F. D. *In situ* potential for rehabilitation of sites dominated by blackberry (*Rubus polyanthemos* Lindeb.), 1–6.
PATIL, T. M. *See* HEGDE, B. A.
PEDERSEN, T. A. *See* SOLBAKKEN, T. A.
PENNER, DONALD *See* HATZIOS, KRITON K.
PESTEMER, W. *See* NYFFLER, A.
PETERS, N. C. B. The dormancy of wild oat seed (*Avena fatua* L.) from plants grown under various temperature and soil moisture conditions, 205–212.
PETERS, N. C. B. *See* WILSON, B. J.
PIEDRAHITA, W. *See* DOLL, J. D.
POLLARD, F., MOSS, S. R., CUSSANS, G. W. and FROUD-WILLIAMS, R. J. The influence of tillage on the weed flora in a succession of winter wheat crops on a clay loam soil and a silt loam soil, 129–136.
PONS, T. L. Factors affecting weed seed germination and seedling growth in lowland rice in Indonesia, 155–161.

ROBINSON, R. C. and DUNHAM, J. The uptake of soil-applied chlorotriazines by seedlings and its prediction, 223–236.

ROEY, G. V. VAN *See* DECLEIRE, M. M.

RAMAKRISHNAN, P. S. and MISHRA, B. K. Population dynamics of *Eupatorium adenophorum* Spreng. during secondary succession after slash and burn agriculture (jhum) in north eastern India, 77–84.

ROBERTS, H. A. *See* LEGUIZAMÓN, E. S.

ROBERTS, H. A. and NEILSON, J. E. Seed banks of soils under vegetable cropping in England, 13–16.

SAMENI, A. M. *See* MAFTOUN, M.

SCHMIDT, R. R. *See* NYFFLER, A.

SCOUREY, L. R. K., YOUNG, I. and PAGE, J. B. Studies on the chemical control of blackgrass (*Alopecurus myosuroides* Huds.) in winter wheat in the West Midlands, 23–26.

SMITH, A. E. Soil persistance studies with [^{14}C]MCPA in combination with other herbicides and pesticides, 137–142.

SOLBAKKEN, E., HOLE, H., LODE, O. and PEDERSEN, T. A. Trifluralin persistence under two different soil and climatic conditions, 319–328.

TENA, M., MAGALLANES, M. and GARRIDO, R. Soil persistence of selected sugar-beet herbicides and their combinations with lenacil, 245–249.

TOPHAM, P. B. and LAWSON, H. M. Measurement of weed species diversity in crop/weed competition studies, 285–293.

TRIPATHI, R. S. *See* TRIVEDI, S.

TRIPATHI, R. S. *See* YADAV, A. S.

TRIVEDI, S. and TRIPATHI, R. S. The effects of soil texture and moisture on reproductive strategies of *Spergula arvensis* L. and *Plantago major* L., 41–49.

TRUMBLE, J. T. and KOK, L. T. Integrated pest management techniques in thistle suppression in pastures of North America, 345–359.

VECCHIO, V., GASQUEZ, J. et COMPOINT, J. P. Variabilité morphologique et enzymatique chez une population mixte d'*Avena fatua* L. et *A. sterilis* L., 263–269.

VISSER, J. H. *See* MALAN, C.

WATT, T. A. *See* KIRKHAM, F. W.

WHITFORD, A. R. *See* FIELD, R. J.

WILLIAMS, R. D. Growth and reproduction of *Cyperus esculentus* L. and *Cyperus rotundus* L., 149–154.

WILSON, B. J. and PETERS, N. C. B. Some studies of competition between *Avena fatua* L. and spring barley. I. The influence of *A. fatua* on yeild of barley, 143–148.

YADAV, A. S. and TRIPATHI, R. S. A study on seed population dynamics of three weedy species of *Eupatorium*, 69–76.

YASREBI, J., *See* MAFTOUN, M.

YOUNG, I. *See* SCOUREY, L. R. K.

ZITEWITZ, W. V. Die Verungkrautung neuangelegter mediterraner Weidetypen im Gebiet Mogod/Tunesien, 95–99.